

## An overview of our blowing guns

	DGKD740020	DGKD740015 DGKD740017	DGKD740145	DGKD740021	DGKD740115	DGKD740144	DGKD740143	DGKD740140	DGKD740141 DGKD740148	DGKD740142	DGKD740035
	AP-RS	AP-BM-SN AP-BM-T9	AP-BM-S	AP-RSV 100	AP-BM- SNV100	AP-Vario-P	AP-Vario-V	AP-Vario-S	AP-Vario-L, AP-Vario-L- 500	AP-Vario-F	AP-Soft
Application options											
General blowing out work	++	++	++		++	++	+				
Small openings / recesses				++	++			+	++		
Noise-sensitive environment			++					++			
Sensitive surfaces						++					++
Locations with limited access				++	++	++	+	+	++		++
Large surfaces		+					++			++	
Drying							+			++	

++ very well suited


+ well suited

## Blowing guns model overview

Model	Art. no.	Air requirement (l/min)	Working pressure (bar)	Page in the catalogue
AP-RS	DGKD740020	180	4-6	172
AP-BM-SN	DGKD740015	78	4-6	172
AP-BM-T9	DGKD740017	78	4-6	172
AP-BM-S	DGKD740145	234	4-6	172
AP-RSV 100	DGKD740021	324	4-6	172
AP-BM-SNV100	DGKD740115	180	4-6	172
AP-Vario-P	DGKD740144	222	4-6	173
AP-Vario-V	DGKD740143	222	4-6	173
AP-Vario-S	DGKD740140	162	4-6	173
AP-Vario-L	DGKD740141	222	4-6	173
AP-Vario-L-500	DGKD740148	380	8	173
AP-Vario-F	DGKD740142	348	4-6	173
AP-Soft	DGKD740035	192	4-6	173

# Blowing guns

Extremely versatile –  
the right blowing gun for every application



Our diverse portfolio of different blowing guns offers the right solution for every requirement – from the classic version with a metal alloy or solid plastic housing to the version with silent nozzle or fan jet nozzle and the blowing gun with 500 mm blast pipe for reaching places with limited access.

# Blowing guns

## Blowing guns with alloy housing

- Robust, impact-resistant light metal for an extended service life
- Different designs that fulfil all requirements



### AP-RS

- With plug nipple for quick-action coupling
- Handy gun shape



### AP-BM-SN

- With plug nipple for quick-action coupling
- Handy gun shape



### AP-BM-T9

- With nozzle for hose dia. 9 mm
- Handy gun shape



### AP-BM-S

- With safety and noise reduction nozzle
- With plug nipple for quick-action coupling
- Model certificate for noise reduction according to OSHA regulations and the Swiss Accident Insurance Fund (SUVA)



### AP-RSV 100

- Extended blast pipe (100 mm)
- With plug nipple for quick-action coupling



### AP-BM-SNV100

- Rotatable, extended blast pipe (100 mm)
- With plug nipple for quick-action coupling

Model	Art. no.	Air requirement (l/min)	Working pressure (bar)	Weight (kg)
AP-RS	DGKD740020	180	4-6	0.10
AP-BM-SN	DGKD740015	78	4-6	0.26
AP-BM-T9	DGKD740017	78	4-6	0.26
AP-BM-S	DGKD740145	234	4-6	0.28
AP-RSV 100	DGKD740021	324	4-6	0.14
AP-BM-SNV100	DGKD740115	180	4-6	0.31

## Blowing guns with plastic housing

- Robust plastic is shatterproof and impact-resistant
- Solid plastic housing prevents cold hands when working
- Stepless trigger lever for accurate dosage of compressed air

### AP-Vario-P

- Suitable for sensitive surfaces
- Nozzle tip with removable rubber cover prevents scratches on the workpiece

### AP-Vario-V

- Venturi nozzle increases the air flow rate by 100%

### AP-Vario-S

- Extremely quiet due to silent nozzle
- Anti-block function prevents the air flow from blocking when the nozzle is applied

### AP-Vario-L

- 300 mm blast pipe is ideal for awkward spots that are difficult to access

### AP-Vario- L-500

- Used primarily in farming applications such as blowing out combine harvester radiators or blowing down large loading areas
- 500 mm blast pipe is ideal for awkward spots that are difficult to access

### AP-Vario-F

- Fan jet nozzle for particularly large surfaces

### AP-Soft

- Handy, straight design perfect for minor blowing tasks
- 3 m spiral hose for extra flexibility



Model	Art. no.	Air requirement (l/min)	Working pressure (bar)	Weight (kg)
AP-Vario-P	DGKD740144	222	4-6	0.12
AP-Vario-V	DGKD740143	222	4-6	0.14
AP-Vario-S	DGKD740140	162	4-6	0.14
AP-Vario-L	DGKD740141	222	4-6	0.16
AP-Vario-L-500	DGKD740148	380	8	0.16
AP-Vario-F	DGKD740142	348	4-6	0.10
AP-Soft	DGKD740035	192	4-6	0.18